

Trilux Altigo

Decorative LED Bollard



Decorative Bollard, Ceiling and Wall Luminaires



The linear Altigo luminaire family sets elegant accents not only at ground level but also on walls and ceilings. The targeted light control of the symmetric and asymmetric optics ensures efficient path and facade lighting. For effect lighting, colour-definable RGB LED modules are available as an alternative to the warm white LEDs. The bollard luminaires with their pleasant light invite people to linger and stay in the evening hours. During daytime they are an eye-catcher and emphasise the design of outdoor areas. Thanks to their high design quality the luminaires are ideal for integrating into architectural environments.

- ▶ Elegant
- ▶ Efficient
- ▶ Flexible
- ▶ Long-Life

Bollard Luminaire with 500mm-800mm options.



- ▶ LED Light Source
- ▶ Luminous Flux: 20lm-40lm
- ▶ Connected Load: 4,5W-7W
- ▶ Luminous Efficiency: 4 lm/W-6 lm/W
- ▶ Light Colour: 3000K-4000K
- ▶ IP67


Decorative bollard luminaires






Reference	TOC	...ET		W	=kg
Altigo 50/LED ww...	60 242...	...40	20 lm	4,5	3.5

Decorative bollard luminaires





Reference	TOC	...ET		W	=kg
Altigo 80/LED ww...	60 243...	...40	40 lm	7	5.5

Decorative wall luminaires




Reference	TOC	...ET		W	≈kg
Altigo W 300-SM/LED ww...	60 239...	...40	250 lm	10	3.0

Decorative wall luminaires



L: 340/Altigo WT 300..., 640/Altigo WT 600...



Reference	TOC	...ET		W	≈kg
Altigo WT 300-AM/LED ww...	60 240...	...40	200 lm	10	3.5
Altigo WT 600-AM/LED ww...	60 241...	...40	450 lm	20	5.6

Underground supports

Reference	TOC	Accessory description	≈kg
Altigo E	60 244 00	Underground support, galvanised	2.3

Mounting housings

Reference	TOC	Accessory description	=kg
Altigo BE 1200	60 234 00	Mounting housing for Altigo 1200..., with knockouts for cable feed and drainage	2.1
Altigo BE 300	60 232 00	Mounting housing for Altigo 300..., with knockouts for cable feed and drainage	0.6
Altigo BE 600	60 233 00	Mounting housing for Altigo 600..., with knockouts for cable feed and drainage	1.1

Power supply

Reference	TOC	Accessory description	=kg
ZET DMX150	60 270 00	DMX power supply 24V, 150W	2.5

Accessories

Reference	TOC	Accessory description	=kg
Altigo ZBE LV	60 750 00	Straight connector set for mounting housing	0.1
Altigo ZFK	60 751 00	Recessed module mounting set with 2 replacement catches and 1 removal tool	0.1

TRILUX GmbH & Co. KG

Heidestrasse D-59759 Arnsberg

Postfach 19 60 D-59753 Arnsberg

Tel. +49 (0) 29 32 3 01-0

Fax +49 (0) 29 32 3 01-3 75

www.trilux.com

SİSEL Müh. Elektronik San.ve Tic. A.Ş.

TRILUX Turkey

Y. Dudullu Barbaros Cad. Kutup Sok. No:18

34775 Ümraniye · İstanbul · Turkey

Tel: +90 (0) 216 499 46 64

Fax: +90 (0) 216 365 74 01

www.enda.com.tr